

IN THE CLAIMS

Please cancel claim 7 and amend claims 1, 30, and 35 as indicated below. The following listing of the claims is provided in accordance with 37 C.F.R. §1.121.

1. (currently amended) A method for analyzing image data comprising:
generating a temporal change image based upon first and second images from different times by segmenting the first and second images and registering at least a portion of the segmented images with one another, wherein the first and second images are generated by different imaging modalities; and
analyzing the temporal change image via at least one CAD algorithm.
2. (original) The method of claim 1, wherein analyzing the temporal change image via the CAD algorithm includes diagnosing a physical condition of a patient.
3. (original) The method of claim 1, wherein the CAD algorithm identifies at least one feature of interest in the temporal change image.
4. (original) The method of claim 1, comprising performing quantitative analysis on the temporal change image.
5. (original) The method of claim 4, wherein the quantitative analysis includes determining a change in size of a feature of interest between the first and second images based upon the temporal change image.
6. (original) The method of claim 1, comprising presenting a report to a user along with at least one of the first image, the second image and the temporal change image.

7. (canceled)
8. (original) The method of claim 1, comprising analyzing at least the first image via a second CAD algorithm.
9. (original) A method for analyzing image data comprising:
analyzing a first image via at least one CAD algorithm to identify a feature of interest; and
if a feature of interest is identified in the first image, accessing a second image from a different time than the first image and generating a temporal change image based upon the first and second images.
10. (original) The method of claim 9, comprising reporting results of the analysis to a user if a feature of interest is not identified in the first image.
11. (original) The method of claim 9, comprising analyzing the temporal change image via a second CAD algorithm.
12. (original) The method of claim 11, wherein the CAD algorithm used for analyzing the first image is different from the CAD algorithm used for analyzing the temporal change image.
13. (original) The method of claim 12, wherein the CAD algorithm used for analyzing the first image has a sensitivity and a specificity to produce a desired level of positive identifications of potential features of interest, and wherein the CAD algorithm used for analyzing the temporal change image is configured to reduce the positive identifications of features of interest.

14. (original) The method of claim 9, wherein the temporal change image is generated by segmenting the first and second images and registering the segmented images with one another.

15. (original) The method of claim 9, comprising performing quantitative analysis on the temporal change image.

16. (original) The method of claim 15, wherein the quantitative analysis includes determining a change in size of a feature of interest between the first and second images based upon the temporal change image.

17. (original) The method of claim 9, comprising presenting a report to a user along with at least one of the first image, the second image and the temporal change image.

18.-27. (canceled)

28. (original) A method for analyzing image data comprising:
analyzing a first image via at least one CAD algorithm to identify a feature of interest; and

if a feature of interest is identified in the first image, accessing a second image from a different time than the first image and analyzing the first and second images.

29. (original) The method of claim 28, wherein analyzing the first and second images includes quantifying a change in a feature of interest between the first image and the second image.

30. (currently amended) A system for analyzing image data comprising:
means for generating a temporal change image based upon first and second images from different times by segmenting the first and second images and registering at least a portion of the segmented images with one another, wherein the first and second images are generated by different imaging modalities; and
means for analyzing the temporal change image via at least one CAD algorithm.

31. (previously presented) A system for analyzing image data comprising:
means for analyzing a first image via at least one CAD algorithm to identify a feature of interest; and
means for accessing a second image from a different time than the first image if a feature of interest is identified in the first image, and for generating a temporal change image based upon the first and second images.

32. (canceled)

33. (canceled)

34. (original) A system for analyzing image data comprising:
means for analyzing a first image via at least one CAD algorithm to identify a feature of interest; and
means for accessing a second image from a different time than the first image if a feature of interest is identified in the first image, and for analyzing the first and second images.

35. (currently amended) A computer-readable medium embodied with a computer program for analyzing image data comprising:
code stored on the computer-readable medium for generating a temporal change image based upon first and second images from different times by segmenting the first and

second images and registering at least a portion of the segmented images with one another, and analyzing the temporal change image via at least one CAD algorithm, wherein the first and second images are generated by different imaging modalities.

36. (previously presented) A computer-readable medium embodied with a computer program for analyzing image data comprising:

code stored on the computer-readable medium for analyzing a first image via at least one CAD algorithm to identify a feature of interest, and if a feature of interest is identified in the first image, accessing a second image from a different time than the first image and generating a temporal change image based upon the first and second images.

37. (canceled)

38. (canceled)

39. (previously presented) A computer-readable medium embodied with a computer program for analyzing image data comprising:

code stored on the computer-readable medium for analyzing a first image via at least one CAD algorithm to identify a feature of interest, and if a feature of interest is identified in the first image, accessing a second image from a different time than the first image and analyzing the first and second images.